

SF FILE NUMBER FILE PLAN

MEMORANDUM

TO:

Mike Zimmerman, OSC

EPA/ERB - Denver

FROM:

Robert Eddy

TAT - Region VIII

DATE:

March 28, 1991

SUBJECT: Trip Report and Analytical Results of the Ground Water Sampling of 3 Wells at Richardson Flats Tailings, Summit

County, Utah; TDD #T08-9101-025; PAN #EUT0039SAA

INTRODUCTION

This report has been prepared in fulfillment of the requirements of TDD #T08-9101-025. The Ecology and Environment, Inc., Technical Assistance Team (E & E TAT) was tasked by the Region VIII U.S. Environmental Protection Agency Emergency Response Branch (EPA/ERB) to provide metals analysis of four residential wells in the area of Richardson Flats which is located about one mile east of Prospector Square in Park City, Utah.

The sampling effort occurred on March 7, 1991, beginning at approximately 1000 hours. Personnel in attendance included Mike Zimmerman, OSC (EPA/ERB), Bob O'Brien, Utah Department of Health (UDOH), Robert Swenson, Summit County Health Department Sanitation, and Robert Eddy, Region VIII TAT. All sampling was conducted by Robert Eddy of the TAT assisted by Robert O'Brien of UDOH.

The original scope of the project was designed to collect samples of unpurged water from residential wells down gradient of the tailings to determine whether or not a release of metals had occurred or was occurring to the ground water in this location. Another suite of samples was scheduled to be collected after at least 3 casing volumes had been purged from each well. The analysis requested QA-II level objectives.

In actuality samples were collected from 3 downgradient industrial wells located northeast of State Highway 40 and directly north of the Richardson Flats Tailings because there no residential wells within a mile downgradient of the site. The wells sampled were all in excess of 300 feet in depth and used primarily for industrial purposes. During

this sampling effort the TAT also collected other information pertinent to the preparation of this report. At each location water temperature, pH, and conductivity was obtained, along with a description of the location, purge volumes, and the time at which each sample was collected. One duplicate, a triplicate (for spiking purposes), and a rinsate blank were also collected for QA/QC purposes. See Table 2 for further details concerning sample tag numbers, bottle lot numbers and chains-of-custody.

All samples were shipped on the same day using chain-of-custody procedures as specified in the Technical Assistance Team Standard Operating Procedures (TAT SOP) for Sampling. These samples were shipped to Silver Valley Labs in Kellogg, Idaho, for next day delivery under Federal Express Airbill #8750936821.

2.0 SITE DESCRIPTION

The Richardson Flats Tailings site lies within the northwest quarter of Section 1 and the northeast quarter of Section 2, Township 2 South, Range 4 East, Salt Lake Meridian, in Summit County, Utah. The tailings cover an area of approximately 160 acres on a topographic depression located one and one half miles northeast of the town of Park City.

The mill tailings at Richardson Flats were produced from mining operations conducted at the Keetley Ontario Mine and other metal mining operations currently owned by United Park City Mines (UPCM). The area was last used for tailings disposal from 1975 to 1981. In May 1974, the UDOH - Water Pollution Committee approved plans by Park City Ventures (who had leased the properties from UPCM) to construct an embankment, dikes and a diversion ditch to contain mill tailings disposed on Richardson Flats.

The E&E TAT has not performed any work at this site prior to this sampling effort.

3.0 SAMPLING PROCEDURES

Sampling activities consisted of one day of ground water sampling conducted at three locations approximately one half mile north of the Richardson Flats Tailings site.

Due to the nature of the wells sampled and the lack of specific information, certain pertinent data (i.e. well depth, casing diameter, height of the water column, pumping level, and total depth of the wells) the TAT was unable to adhere to ground water sampling protocols by calculating exact purge volumes. In order to assure some adherence to the protocols specified in the Region VIII TAT SOP for sampling the TAT assumed that each borehole was ten inches and each water column was 100 feet in height.

All water samples were screened using an HNu. During the purging of each well measurement of pH, conductivity, and temperature were recorded.

All samples were collected directly into the prescribed 1 liter poly containers obtained from the US EPA bottle repository and the bottle lot numbers were recorded in the site logbook. All filtered samples were then filtered later on completion of all the sampling activities using a Geotech peristaltic geopump with disposable 0.45 micron filters which eliminated the requirement for decontamination of sampling equipment after each sample had been filtered.

The first sample RF-MW-1, was collected at the Utah Power and Light facility at Silver Creek Junction. No data on the depth of this well or the height of its water column was available. Four types of samples were collected at this location: 1) unpurged filtered, 2) unpurged unfiltered, 3) purged unfiltered and 4) a purged filtered. Samples were immediately put into a cooler containing ice and cooled to 4°C. The unpurged samples were collected after allowing the tap to run for about 5 minutes, since the TAT was unable to determine the amount of piping between the well- head and the faucet. The tap was allowed for a total of 19.5 minutes before the purged samples were collected.

The second sample, RF-DW-2 was collected from the Geneva Rock aggregate plant, which is located about 150 yards northeast of the Utah Power and Light facility. After a conversation with the plant supervisor, the TAT was able to calculate a purge volume of 3298 gallons would be necessary to comply with the 3 casing volume requirement. However, in order to activate the pump to obtain fresh well water it was necessary to remove about 5000 gallons from the holding tank. The well was then purged and the sample collected. This was the only site where the sample was actually collected at the wellhead. A duplicate sample, RF-MW-5, was also collected at this location for QA/QC purposes.

RF-MW-3 was obtained from the Monroc facility located just south of the Geneva Rock plant. Special measures had to be taken at this site since there was no opportunity to collect the sample at the wellhead. In order to obtain a sample from the well, the TAT member had to climb atop the facility water storage tank and rig the float system to activate the pump. Due to the cramped nature of this operation and the fact that there was nowhere to allow the purge water to flow to, the OSC opted not to collect purged samples.

The samples were shipped via Federal Express next day on the afternoon of March 7, 1991, to Silver Valley Lab in Kellogg, Idaho.

4.0 FIELD OBSERVATIONS

As previously mentioned, problems encountered included the following:

· No specific details on well construction were available. Thus the TAT member on site asked that pumps be allowed to run for approximately 20

minutes or in the case of Geneva Rock until 3,298 gallons had been purged before collecting the purged samples.

- The wells sampled were in constant use so that the water in the casing/borehole could not be considered truly unpurged or standing water.
- · One sample (purged, filtered) RF-DW-2 was not collected at Geneva Rock due to a lack of water in the borehole.
- · Site observations of the ground were not noted because of an overnight snow fall.
- · None of the samples were collected at the actual wellhead because of the in-place plumbing.
- · None of the wells were used as potable water supplies. All three wells were used strictly for industrial purposes.

5.0 DISCUSSION OF ANALYTICAL RESULTS

A total of 14 samples from 3 wells were taken on March 7, 1991. Based upon the results obtained from the lab, no arsenic was detected suspended or dissolved in the water samples from any of the three wells. The same statement applies for cadmium and chromium. However, the results for lead indicate concentrations of 36 ppb (parts per billion) and 5.20 ppb in samples taken from RF-DW-5 and its duplicate RF-DW-2, respectively. These results are unusual for two reasons: 1) RF-DW-5 is a duplicate of RF-DW-2 and 2) the sample with higher lead concentration (RF-DW-5) does not correspond with the same unpurged and unfiltered sample from RF-DW-2. Since RF-DW-5 was taken as a lab QA/QC check, it may be assumed that there were problems duplicating the results.

TABLE 1 RICHARDSON FLATS TDD #T08-9101-025

Sample #	Sample Tag Number	Bottle Number	Chain of Custody <u>Number</u>
RF-DW-1			
Unpurged unfiltered Unpurged filtered Purged unfiltered Purged filtered	8-20080 8-20082 8-20079 8-20081	0068043 0068043 0068043 0068043	8-13227 8-13227 8-13227 8-13227
RF-DW-2			
Unpurged unfiltered Purged unfiltered Purged filtered	8-20083 8-20084 8-20086	0068043 0068043 0068043	8-13227 8-13227 8-13227
RF-DW-4 (Triplicate)			
Unpurged unfiltered	8-20091 8-20095 8-20096	0068043 0068043 0068043	8-13227 8-13227 8-13227
Unpurged filtered	8-20093	0068043	8-13227
RF-DW-5 (Duplicate of RF-D	W-2)		
Unpurged unfiltered Unpurged filtered Purged unfiltered Purged filtered	8-18998 8-18980 8-18979 8-18981	0068043 0068043 0068043 0068043	8-13227 8-13227 8-13227 8-13227
RF-BL-1			
Unpurged filtered	8-20087	0068043	8-13226

APPENDIX A

Analytical Data



ecology and environment, inc.

1776 SOUTH JACKSON STREET, DENVER, COLORADO 80210, TEL. 303-757-4984

International Specialists in the Environment

MEMORANDUM

TO:

Mike Zimmerman, OSC

EPA/ERB - Denver

FROM:

Kent Alexander

TAT - Region VIII

DATE:

March 20, 1991

SUBJECT: Data Results for Richardson Flats; TDD #T08-9102-001

This memorandum was written to satisfy the requirements of Technical Direction Document (TDD) #T08-9102-001 issued to the Ecology and Environment, Inc., Technical Assistance Team by the Region VIII Environmental Protection Agency Emergency Response Branch (EPA/ERB).

Please find attached the data results from the water sampling at the Richardson Flats site in Park City, Utah. The results have not received a QA/QC review. If you would like a review to be performed, please let me know so that it will receive a priority assignment.

The results may be found in the attached table or in the raw data at the end. Samples RF-DW-2 and RF-DW-5 are field duplicates. A blank sample was also taken.

The following qualifiers were attached to the sample results by the laboratory:

- B The sample result was above the IDL but below the CRDL.
- U The element was analyzed for but not detected.
- W The furnace post digestion spike was out of range.

TABLE 1
IMORGANIC SAMPLE RESULTS (ug/L)
RICHARDSON FLATS
TDD \$T08-9102-001

Sample Location	RF-DW-1	RF-DW-1	RF-DW-1	RF-DW-1	RF-DW-2	RF-DW-2	RF-DW-2
Sample Tag #	8-20079	8-20080	8-20081	8-20082	8-20083	8-20084	8-20086
Lab ID #	WA6954	WA6955	WA6956	WA6957	WA6958	WA6959	WA6960
Date	03/07/91	03/07/91	03/07/91	03/07/91	03/07/91	03/07/91	03/07/91
Time	1039	1039	1039	1039	1200	1200	1200
Purged	Yes	No	Yes	No	No	Yes	Yes
Filtered	No	No	Yes	Yes	No	No	Yes
Arsenic	3.00 UW	3.00 UW	3.00 UW	3.00 UW	3.00 UW	3.00 UW	3.00 UW
Cadmium	3.00 U	3.00 U	3.00 ປ	3.00 U	3.00 U	3.00 U	3.00 U
Chromium	5.00 U	5.00 ປ	5.00 ປ	5.00 ซ	5.00 U	5.00 U	5.00 U
Lead	5.90	1.00 B	1.00 U	1.00 ປ	1.10 B	5.20	1.00 UW
						•	
Sample Location	RF-DW-4	RF-DW-4	RF-DW-5	RF-DW-5	RF-DW-5	RF-DW-5	RF-BL-1
Sample Tag #	8-20091	8-20093	8-18978	8-18979	8-18980	8-18981	8-20087
Lab ID #	WA6962	WA6963	WA6950	WA6951	WA6952	WA6953	WA6961
Date	03/07/91	03/07/91	03/07/91	03/07/91	03/07/91	03/07/91	03/07/91
Time	1224	1224	1300	1300	1300	1300	1420
Purged	No	No	No	Yes	No	Yes	No
Filtered	No	Yes	No	No	Yes	Yes	No
Arsenic	4.80 B	3.00 U	3.80 B	3.00 UW	3.00 UW	3.00 UW	3.00 U
Cadmium	3.00 U	3.00 U	3.00 U	3.00 U	3.00 U	3.00 U	3.00 U
Chromium	5.00 U	5.00 ປ	5.00 U				
Lead	1.00 ປ	1.60 B	36.9	1.40 B	1.90 B	2.80 B	1.00 U
	and the second s						

. CLP

INCREANTE AMALYSIS DATA SHEET

Lab Name: SILVER VALLEY LABB..INC. Contract:

Lab Code:

Case No.:

SAS No.:

SDG No.: JOB154

EPA SAMPLE NO.

Matrix (soil/water): WATER

Lab Sample ID: WA6950

Level (low/med):

Date Received: 3/08/91

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	 Analyte 	 Concentration 		Q.	! M 	•
17429-90-5	Aluminum		(INR	
17440-36-0	!Antimony	! !	: :		INR	
17440-38-2	lArsenic	3.80	: B :		IF !	
17440-39-3	Barium	! !	: :		INRI	
17440-41-7	Beryllium] •	1 1	}	INR	
17440-43-9	Cadmium	3.00	l U l		P	
17440-70-2	(Calcium	! !	:		INR	!
17440-47-3	(Chromium	5.00	l U i	1	1P :	
17440-48-4	:Cobalt	! !	1	}	INR	l
17440-50-8	:Copper	!	1	!	INR	į
17439-89-6		! !	t	1 1	INR	j
17439-92-1	:Lead	36.90		<u> </u>	IF :	1
17439-95-4	:Magnesium	1 2	:	i i	INR	Í
17439-96-5	Manganese	! !	ŀ	1 †	INR	<u> </u>
1 7439- 97-6	Mercury	1 1	1	t i	INR	;
17440-02-0	:Nickel	! !	1	; ŧ	INR	ĺ
17440-09-7	Potassium	1 F	!	!	INR	!
17782-49-2	Selenium	! ₹	{	!	INR	ĺ
17440-22-4	¦Silver	† •	t i		INR	į
17440-23-5	(Sodium	!	í	ę S	INR	1
17440-28-0	Thallium	1	!	1	INR	1
17440-62-2	[Vanadium	! •	;	;	INR	l
17440-66-6	¦Zinc	!	;	1	INR	i
! !	Cyanide		!	Į.	INR	:
1			!	!	.	1

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR Artifacts:

Comments:

CLIENT # 8-48978

INORGANIC ANALYSIS DATA SHEET

Lab Name: SILVER VALLEY LABS..INC. Contract:

Lab Code:

Case No.:

SAS No.:

SDG No.: JGB154

Matrix (soil/water): WATER

Lab Sample ID: WA6952

Level (low/med):

Date Received: 3/08/91

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	: Analyte	Concentration		Q	
17429-90-5	Aluminum		£		INRI
17440-36-0	(Antimony		1 1	1	INRI
17440-38-2		3.00	l U l	W	IF !
17440-39-3	Barium	† 1	!!!		INRI
17440-41-7	Beryllium	•	1		INRI
17440-43-9	Cadmium	3.00	l U l		1P
17440-70-2	Calcium	! !	!	}	INRI
17440-47-3	:Chromium	5.00	IJ	:	P
17440-48-4	:Cobalt	! !	1		INRI
17440-50-8	Copper	<u> </u>	ŧ	!	INRI
17439-89-6	liron	ļ !	!	}	INRI
17439-92-1	Lead	1.90	ŀΒ	r I	1F
17439-95-4	Magnesium	I 8	}	!	INRI
17439-96-5	:Manganese	i t	t i	<u> </u>	INRI
17439-97-6	Mercury	! !	!	!	INRI
17440-02-0	Nickel	i r	į.	i i	INRI
17440-09-7	Potassium	! }	ŧ	!	INRI
17782-49-2	:Selenium	1	1	! !	INRI
17440-22-4	:Silver	1	1	:	INRI
:7440-23-5	Sodium	1	:	:	INRI
17440-28-0	:Thallium	!	;	1	INRI
17440-62-2	Vanadium	I t	i	1	INRI
17440-66-6	Zinc	1 [1	!	INRI
1	Cyanide	•	ł	· ·	INRI
1	.	·	1_	!	.!!

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

CLIENT # 8-18980.

1 INORGANIC ANALYSIS DATA SHEET

Tab Name: SILVER VALLEY LABS..INC. Contract:

Lab Code:

Case No.:

SAS No.:

SDG No.: JOB154

Matrix (soil/water): WATER

Lab Sample ID: WA6954

Level (low/med):

Date Received: 3/08/91

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

		<u> </u>			
: CAS No.	: Analyte	Concentration	ic:	L Q	M
1	1		1 _ 1	!	_!!
17429-90-5	lAluminum	}	¦	 I	INRI
17440-36-0	Antimony) 1	!		INRI
17440-38-2	:Arsenic	3.00	l U i	: W	IF I
17440-39-3	Barium	!	Į į	! !	INRI
17440-41-7	Beryllium	! !	}	! !	INRI
17440-43-9	Cadmium	3.00	١IJ.	;	!P !
17440-70-2	(Calcium	! !	1	1 i	INRI
17440-47-3	(Chromium	5.00	IJ	ŀ	18 1
17440-48-4	(Cobalt	E T	1	ļ f	INRI
17440-50-8	Copper	:	!	!	INRI
17439-89-6	liron	}	;	;	INRI
17439-92-1	lLead	5.90	ł	f t	IF !
17439-95-4	Magnesium	! !	1	t t	INRI
17439-96-5	!Manganese	<u> </u>	!	1	INRI
17439-97-6	Mercury	!	!	1	INRI
17440-02-0	:Nickel	;	1	:	INRI
17440-09-7	:Potassium	1	!	i	INRI
17782-49-2	Selenium	[ŀ	!	INRI
17440-22-4	Silver	E T	i i	1	INR!
17440-23-5	:Sodium	T E	1	!	INRI
17440-28-0	:Thallium	!	¦	1	INRI
17440-62-2	Vanadium	!	;	[INRI
17440-66-6	lZinc	<u> </u>	;	!	INRI
1	Cyanide	!	!	!	INR
1		!	!_	1	_!!

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR

Artifacts:

Comments:

CLIENT # 8-20079.

: INORFANIO ANALYFIS DATA REFET

Lab Name: SILVER VALLEY LABS., INC. Contract:

Lab Code:

Case No.:

SAS No.:

SDG No.: JOB154

Matrix (soil/water): WATER

Lab Sample ID: WA6956

Level (low/med):

Date Received: 3/08/91

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

!		<u>,</u>	! !	
CAS No.	Analyte	Concentration	ici q	M I
!	!	!		11
17429-90-5	:Aluminum		! !	INRI
17440-36-0	Antimony	! !	! !	INRI
17440-38-2	Arsenic	3.00	:U:W	F
17440-39-3	:Barium	; (t t	INRI
17440-41-7	Beryllium	1 1	: :	INRI
17440-43-9	Cadmium	3.00	IUI	IP I
17440-70-2	(Calcium	<u> </u>	1 1	INRI
17440-47-3	(Chromium	5.00	101	P
17440-48-4	Cobalt	t i	1 1	INRI
17440-50-8	:Copper	ł ;	1 1	INRI
17439-89-6	liron	!	1 1	INRI
17439-92-1	llead	1.00	101	IF I
17439-95-4	Magnesium	i !	! !	INRI
17439-96-5	Manganese	<u>:</u>	1 1	INRI
17439-97-6	Mercury	1	! !	INRI
17440-02-0	Nickel	!	1 1	INRI
17440-09-7	:Potassium	ł	1 1	INRI
17782-49-2	Selenium) 	! !	INRI
17440-22-4	Silver	t I	1 1	INRI
17440-23-5	:Sodium	!	1 1	INRI
17440-28-0	Thallium	!	1 1	INRI
17440-62-2		!	1 1	INRI
17440-66-6	lZinc	1	; ;	INRI
1	(Cyanide	; i	1 1	INRI
·		!	1_1	11

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR

Artifacts:

Comments:

CLIENT # 8-20081.

INORGANIC ANALYSIS DATA SHEET

Lab Assa: SILVER VALLEY LABS., INC. Contract:

Lab Code:

Case No.: SAS No.:

SDG No.: J0B154

Matrix (soil/water): WATER

Lab Sample ID: WA6958

Level (low/med):

Date Received: 3/08/91

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	 Concentration 		Q	
17429-90-5	Aluminum		, - ,		INR:
17440-36-0	Antimony	!	!!		INRI
17440-38-2	Arsenic	3.00	U	W	IF !
17440-39-3	Barium	! !	; ;		INRI
17440-41-7	Beryllium	<u> </u>	1 1		INRI
17440-43-9	Cadmium	3.00	l U i	1	{P
17440-70-2	:Calcium	! !		+	INR!
17440-47-3	Chromium	5.00	i U i		IP !
17440-48-4	Cobalt	t 1	,		INRI
17440-50-8	Copper	1	1	•	INRI
:7439-89-6	llron	1	;		INRI
17439-92-1	:Lead	1.10	¦B	1	if i
17439-95-4			1	}	INRI
17439-96-5	- · · · · · · · · · · · · · · · · · · ·	•	ť	ł	INRI
17439-97-6		ŧ.	;	!	INRI
17440-02-0	Nickel	1	1	i i	INR
17440-09-7	Potassium	†	ŀ	1	INRI
17782-49-2		ļ	ł	!	INRI
17440-22-4		!	i i	!	INRI
17440-23-5		:	1	i	INRI
17440-28-0		1	!	† •	INR
17440-62-2				[INRI
17440-66-6		1	1	; :	INRI
1	Cyanide		!	i	INRI
!			i	i	11

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

CLIENT # 8-20083.

Lab Name: SILVER VALLEY LABS..INC. Contract:

EPA SAMPLE NO.

Lab Code:

Case No.: SAS No.:

SDG No.: JOB154

Matrix (soil/water): WATER

Lab Sample ID: WA6960

Level (low/med):

Date Received: 3/08/91

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	: Analyte	 Concentration	 C	Q	
7429-90-5	!Aluminum	·	! !	' !	- NR
17440-36-0	lAntimony	! !	, !	, !	INRI
17440-38-2	•	3.00	! U	! 1น	; F
	(Barium		. ₩ !	! !	INRI
17440-41-7	:Beryllium	! !	!	!	INR:
	Cadmium		LU	!	P
17440-70-2		. w.vv !	!	!	INR
17440-47-3	Chromium	5.00	LU	! !	P
17440-48-4	Cobalt	. 	!	• !	INR
17440-50-8	(Copper	: !	:	!	INRI
17439-89-6	:Iron	* 1	!	!	INR
17439-92-1	Lead	1.00	: U	! ฟ	(F)
17439-95-4	Magnesium		!	!	INRI
17439-96-5	Manganese				INRI
17439-97-6	Mercury	!	!		INRI
	Nickel	!	:	!	INR
17440-09-7		, !	:	!	INRI
	Selenium	• !	•	!	INRI
7440-22-4		!	:	!	INRI
17440-23-5		!	:		INRI
17440-28-0		•	:	1	INRI
7440-62-2		!	!	!	INRI
7440-66-6	Zinc	! !	:	1	INRI
1	Cyanide	- ! !	:	1	INRI
1	1	} 	1	1	!!
'	. '	·	'	1	''

Color Before: COLORLESS

Clarity Before: CLEAR Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

CLIENT # 8-20086.

I. EFA

INORGANIC ANALYSIS DATA SHEET

Lab Name: SILVER VALLEY LABS. INC. Contract:

Lab Code:

Case No.: SAS No.:

SDS Mo.: JOB154

Matrix (soil/water): WATER

Lab Sample ID: WA6962

Level (low/med):

Date Received: 3/08/91

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	 Analyte	Concentration	C		
7429-90-5	:Aluminum		' ' ;		NRI
17440-36-0					INRI
17440-38-2	•	4.80	B		F:
17440-39-3	Barium		: : !		INRI
17440-41-7	Beryllium	•			INRI
17440-43-9	•		. U :		P
17440-70-2		1	!		INRI
17440-47-3	Chromium	5.00	i U i		(P
17440-48-4	Cobalt	1			INRI
17440-50-8	Copper	! !			INRI
17439-89-6	Iron	! !		!	INRI
17439-92-1	Lead	1.00	i U		F
17439-95-4	:Magnesium		1		INRI
17439-96-5	:Manganese		i	! !	INRI
17439-97-6	Mercury	1 1	}	!	INRI
17440-02-0	•	1 1	1	ł	INRI
17440-09-7	Potassium	1	!	}	INRI
17782-49-2	Selenium	! !	!	1	INRI
17440-22-4	Silver	!	!	1 1	INRI
17440-23-5	(Sodium	f	ţ ŧ	f l	INRI
17440-28-0	:Thallium	1	!	! !	INRI
17440-62-2	!Vanadium	!	!	t 1	INRI
17440-66-6	:Zinc	!	1	!	INRI
}	Cyanide	!	1	\$ 2	INRI
1	1	1	!	!	!!

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR

Artifacts:

Comments:


CLIENT # 8-20091.

APPENDIX B

Logbook

©	

: Bonilbacd ACT	
Team Wembers: Loser Coby Linda Warrick.	
÷	
: Extend of hinage	
SETALY LO CIZYANA	
Senotification S Angle S Houses For METALS	
EPA Postation to Take Danied MAN	
TANDER CHORESE CHORESE CON	
: noitabol oft	
Sito Mano: "AICHARDSON FLATS	
THE ENT OBS SAA	
57.0 - 1016-301 - # gai	
Date Log Open: 01 28 91	
i.	
	-
ZTNATIA GO ELLEATS	



,	02/15/91			Tob-	9001 - 026	<u> </u>			
Kichardson	1402	Spoke	ا إن	Cont	Alexa der	To	gunda	That	
that		The	lab c	ould	deline	anal	glical	iscult,	
								are only	
		=			le sepor			•	
(o-	1405	Kent	Cheetecol	The	Macure	enats	This		
		a_five	-day	tuin	arand				
hably		7	0	,					
with									
	<u> </u>								
					 				
									-
							· , · · · · · · · · · · · · · · · · · ·		
									
				——————————————————————————————————————					
· · · · · · · · · · · · · · · · · · ·								· · · · · · · · · · · · · · · · · · ·	
									
									
		A							
	£	· · · · · · · · · · · · · · · · · · ·							
									1

(Xu	
	attocross
	1 he
	inels
	Tat The
	world
	6
	v lette!
	Jawices
	had
	lend
	\$
	bee
eci	fran
seys yes, presence ail temples.	world
to presence infestences Jupies wer	
1842 Collect Fent	ct truber
03/06/91 Tos-9101-025	
7	

03/01/91	108-9107-025	
c458	Arrive it Turck stop of 1-80 to meet up Robert	
	Surrison Jumnit County Health Sandarian	
1002	Aune at Quinn Junction Utan Power and Light	
	pacility to collect a water sample from five	
	Lydrent in The Greage area RF-DW-1	
1012	Calibrated instruments	
	Cond: 380 u) 400 ynloc coli EPH # 647608	
	2500 w) 3750 " Sol,	
1034	Sample consected at DW-1	
	Proceeded to CENEVA ROCK PLAT (MONROC) TO SCYPE	
	The vall onside which is not used for claratic	<u>+</u>
	purposes Dunged volumes would require 9885 gelby	
	To be remerred before it can be carried	
	Inne agnifice water	
HOU	Approximating 4000 gallors purged from the well	/4;
	Geneva Pock facility suple was then collected	
	for puged volume equates to 11/2 the te carry	17
	volume.	
1274		iasn
1-27	Supled The well at Morroe for Tiphcale of	<i>j</i> 83 <i>C</i>
	unfutered inpurged no purged sample collectives become	
	of consid system that would rengeries the	
	senored of 10,000 gallors of exter.	
	Za .	
	- 4-4	

108-9101-025 1245 TATM Siddy accompanied by the OSC ad Bob O'Buin (UDOH) proceed North To The actual Tarlings site, 1302 The area around the actual tailings is not from the aunight sours. The fencing around the fite is in a they RE State of estiene dispeparan near * 647618 The word and especially near the budge one what I assure to be five Cinet. THT took photographs of the 1325 Stopped in Fact City To buy Lonch. 1402 Arrand back at WOOH and deopped off OSC and Bob O'Brier. 1435 Returned to Petrocken Site to feltured and guilde samples taken at Richardson Flats. 1715 Completed preparation and packaging of daples To be delugied to the lab. 1830 Petuned to Patrocien after shipping samples via Fad ax and Turing in the vehicles

, U	(MWM)	UNN4	m.	2P (S	
sisplance) 1)	' P)	90	. 2	>+1	
		1 blank				
		Chip !		יַטכן		
5.7	Sample	rot	M 	51-	01	
	: 1	uzwu	1 DÍ SS	₹ A	gn-	7

Silver Valley Lab 1 Government bulch Hellogg ID 83837 Hellogg ID 83837 (206) Dave Slater

	RESIDENCE	SAMPLE E.
FACILITY	CITAH POWE	SAMPLE 4: - RF-DW-1
	RESIDENCE: CITAH POMEL & LIGHT	
	Quinon >5 In wellon	

SAH PLE TIME (DNDUCTIVITY HA TEMPERATURE. è 1015-1039 4.0 APPEARITHCE . fines or 1300 500 H4) Leiliner it Junkers wet. I Tasa. · Dur Geil hon hydris Kor 10: muchs

METRLS (PULLED) -8-20081 METALS (PULCED) 8-20049 METALS (UNPULLE 8-20082 HETRIS (UNPURIE SHEET SHEET TOTAL STREET 8-2000 7 UNEIL UNFIL (Ruga) FILTERES FILTERED crob styla C2068043 006 RC+3 cople scus 8-132267 8-1522 4 8-1322/1 5-132284

	SARPLE #	1	2F - DW -2	(Dup	LEATTER OF	DUPLICATED OF RF-DW-S)	
	RESID	RESIDENCE: GENEYA	1EYA LOCK	JANI JUNI	7.		
	کالم سعدی	101	d jo zama	3	in were a gimen	ajmed .	
	58.	cidens	to be ke	Lewinkel	been &	Sting luy.	
	1 = 3 cm	,	, 99 = L		-		
	1.36	1200 La	3				
	- HQ	8.0					
	CONDA	ICTIVITY :	550 Muka				
	工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工	TENPERTURE!) a 0/				
	SAMINE		APPEARANCES	clau.			
 	-						
				2 1	100 Miles	City strategy	
	PARAMETERS	200 TO THE		10.10	0.03(0.07) 2.0.		
		1			I		

Cit Tildely				2	gand of Lamps to	3355 **********************************
0.888.02 0.880.830	8-1322 74	8-1322	JEEE1-8	8-1322 (A		
100 E			not take 8-13224 M			
	EW FILTERED	EH FILTERED	FILTERES	FILTERED		
SKE TOPE	4! \	(RURGE) 8-20084	G-200 SK	8-20086		
PARAMETERS	METRUS (UN PURCHED) 8-20083	MEALS (PURES)	unruege)	HEARS (PLICLES) 8-20086	2	*****
	米		¥			

SAMPLE # TF -DW-3	Taker taker	Time:	CONDUICTIVITY:	SAMPLE APPERANCE!
			* m * * * * * * * * * * * * * * * * * *	

ניטיט	panatatang	Sarra Cons	おおり	TA I		CS Endage
Ē		S.				
			And the second s			:
HETRLS (UN PURKES	HEARS (UNDURCES) 8-20087	UNFIUERD		Sugar	
HETALS	(PURCES)	s (PURLED) 8-20088	LINFICTEREN		4 A 22 2 4	
Hemus	(worker)	ps 002-8 (awhaw)	FILTERED		8 18226 lb	
HETRIS	(PURES)	(PURIES) 8-20090			Retire &	
e Easte state When						
ra @ 755 h						
			-		-	

.

.

	SAMPLE	#! KF-	DW-4	(TRIPL	CATE)	
	RESIDEA	JCE ! MON	Roc	355-96	99 Kest	Wight.
	no que	eged sample	es contented	<u>az</u>	this los	cation because of
	on a	was relievely fu	ll holding	tank.	add have	gory in
	TIME !	1224				
	pH:	70				
	CONDUCT	rivity: 60	D puhos.			
		ATURE! /	•			
		APPEGRAN				
						The said to the said
		Carrier Sales	Chapter and the Control of the Contr		CHAIN OF HIS AND A LOCAL COMMENTS OF THE COMME	ARRILLED.
	PARAMETERS	169.				
П	ETALS (UNPLIFED)	8-20091	LINFILTIERED		8-132241	:
1	LETOUS (RURGES)X	1			8-13225	
						
	TETALS (UMPURCIO)	8-20043	FILTERES		8-13226	
	METALS (CHARGES)				8-13226AL	
/ 1	AFTER (PURCED)	8-20094	FILFERED		8-13226-	
7	NETHES (PHRESED)	8-20094 8-20095	CHARGE CONTRACTOR		8-13226 8-1322\$Rs	
7	AFTER (PURCED)	8-20094 8-20095	FILFERED		8-13226-	

(1817) [MACHES] &-18981 FUTERES	/ /	МЕТНІЗ (шигикий) 8-18978 чиннивань	PAPAMETERS WW. A.S. A.S. A. C.	SAMPLE APPOARANCE:	TERPERHTURE:	CONDUCTIVITY:	PH: Van	11ME: 1360		E.	SAMPLE # XT-DE-N
5-132241 5-13224	8-1322	8-1322k		3	\$	5	as RF-DW-2				(Duplicare OF RF-DW-2)

U.S. ENVI		NTAL PF ental Serv				Υ		CHAIN OF CUSTODY RECORD									REGION VIII, ONE DENVER PLACE 999 18TH STREET DENVER, CO. 80202-2413			
PROJ. N	10.	PROJEC	T NAI	ME								/			$\overline{}$	//	7/	7		
TE8-4016			003	9 SA1	l .				NO.		/	/ ,	/ ,	/ "	/ ,	/ /		42		
SAMPLER	S:(Signa	ature)							OF			3					W		** REMARKS	
	(X06.27	7	h-	dely				CON-		/						7 ."		WEIN WITE	
STAT. NO.	DATE	TIME	COMP.	GRAB	ţ:	STATIC	ON LOCATION		TAINERS			/\					7 4 € .			
NF-DW-1	CO	1039		<i></i>					4			۶	200	77,	-200	ic, 8€	<u> 200</u> 281	, 8 5	2r082	
FFOM-	्रांचि	12m		Life					၌			۶	200	83 /	8-20	××8 4 ,	8-20	90 E F		
KF-D1J-4	C2 07	1224		~					4			8-	200	041	8-2	OD93,	Q -20	795,	8-20096	
				ļ									LIP,	LIF	LO	۴	lip, i	<u>.1</u> F	(III NE)	
KF-DW-5	03/07/9	1 1300		~					4			7	1897	78	8-18	979	8-19	69 8 0	୫- <i>।</i> ୫५୫।	
	, '		ļ		:								UF	de	LIF	Р	Uρ	_¥==	FF	
KF-BL-1	(2)61	1470		~					- 1			8-	200	87				· · · · · · · · · · · · · · · · · · ·	- W-1	
]								i			-					
					·				ļ											
Relinquishe		1. .	- 1			/Time	Received by: (Sig		Relinquished by: (Signature)								Date	/Time	Received by: (Signature)	
Y Obj. il		aldy.		0:	107/91	1730	Received by: (Sig			Polir	nguishe	d by:	(Signs	tural		<u> </u>	Data	/Time	Received by: (Signature)	
Relinquishe	u by: 13/	ynat ui ej			Date	Time	neceived by: (SIG	yılatüre)		Helli	idaisile	au Dy i	Joigila	 /			Date	, i iiile	Treceived by Torginature)	
Relinquishe	ed by: <i>(Si</i>	gnature)			Date/	Time	Received for Lab (Signature)	poratory b	oy:			Date	/Time	1	Remark	S			-	
	Distribution	on: Original A	Accompa	nies Shir	ment; First C	opy to Coore	dinator Field Files; Seco	ond Copy to	Representative	of Inspec	cted Fac	ility			Split Samp	oles:		·		
				,										L	J Accepte	ed Decli	nea		Signature	

REGION VIII, ONE DENVER PLACE